

Please write clearly in	n block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	_/

AS BIOLOGY

Paper 2

Thursday 25 May 2023 Morning Time allowed: 1 hour 30 minutes

Materials

For this paper you must have:

- a ruler with millimetre measurements
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Show all your working.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for the questions are shown in brackets.
- The maximum mark for this paper is 75.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		



	Answer all questions in the spaces provided.	
0 1.1	Which statement about the function of ribosomes is correct?	
	Tick (✓) one box.	[1 mark]
	Site of transcription, catalyse the joining of amino acids by hydrolysis reactions	
	Site of transcription, catalyse the joining of nucleotides by condensation reactions	
	Site of translation, catalyse the joining of amino acids by condensation reactions	
	Site of translation, catalyse the joining of nucleotides by hydrolysis reactions	
0 1.2	Name two biological molecules that can be coded for by a gene.	
	Do not include a polypeptide or protein in your answer.	[1 mark]
	1	
	2	



0 1. 3 Scientists investigated the structure of the endoplasmic reticulum.

Table 1 shows some of the scientists' results.

Table 1

Type of endoplasmic reticulum	Percentage of endoplasmic reticulum made of phospholipids
Rough	46.8
Smooth	52.5


Use the data in **Table 1** to suggest how the structure of rough endoplasmic reticulum

different from the structure of smooth endoplasmic reticulum and how this is elated to their functions.	
Totaled to their fariotione.	[3 marks]



0 2.1 Figure 1 shows an ATP synthase enzyme in the inner mitochondrial membrane.

Figure 1



Complete the passage with the appropriate terms.

[2 marks]

ATP synthase comprises several polypeptides, so is said to have		
a	structure.	
It catalyses the synthesis of an ATP molecule by a		
reaction; this involves the of a water molecule.		
The ATP synthase in Figure 1 is in a mitochondrion so would catalyse reactions		
during		



0 2 . 2	As shown in Figure 1 , ATP synthase has two functions.
	 It catalyses the synthesis of ATP. It allows the movement of H⁺ ions.
	Suggest how the shape of the ATP synthase allows it to have these two functions.
	Explain your answers. [4 marks]
	Catalyses the synthesis of ATP
	Allows the movement of H ⁺ ions



0 3 . 1	Galacto-oligosaccharides (GOS) are polymers of galactose. Explain why GOS are described as polysaccharides. [2 marks]
0 3.2	Give two differences between the structures of GOS and lactose. [2 marks]
0 3.3	Explain why amylase produced in the human digestive system does not digest GOS. [2 marks]



0 3.4	Prebiotics are foods used to promote good health in humans.
	Prebiotics stimulate the growth of 'healthy' bacterial populations in the human digestive system.
	The bacteria in these 'healthy' populations produce enzymes that hydrolyse GOS.
	Suggest how GOS can work as a prebiotic. [3 marks]



0 4 . 1

This question is about the flow of blood into and through the heart.

Add the numbers 1 to 6 to **Table 2** to give the order of structures through which blood will pass as it enters the heart and flows through the left ventricle.

Use each number only once. Number 4 has been done for you.


[2 marks]

Table 2

Aorta	Pulmonary vein	
Left atrioventricular valve	Left semi-lunar valve	
Right atrioventricular valve	Vena cava	
Left atrium	Left ventricle	4
Right atrium	Right ventricle	
Pulmonary artery	Right semi-lunar valve	



Do not write outside the








0 4 . 2

Scientists investigated the heart activity of humans at rest, during medium-intensity exercise and during high-intensity exercise.

Figure 2 shows the scientists' results.





Volume just before contraction

Volume at the end of contraction

Heart rate



Stroke volume = volume of blood leaving a ventricle with each contraction Cardiac output = stroke volume × heart rate

Use all the information to describe what causes the increase in cardiac output:

- from rest to medium-intensity exercise
- from medium-intensity exercise to high-intensity exercise.

You do not need to calculate cardiac output to answer this question.	[2 marks]
Rest to medium-intensity exercise	

Medium-intensity exercise to high-intensity exercise		

0 4 . 3	Name the type of blood vessel that controls blood flow to muscles and explain these blood vessels change blood flow during exercise.	n how
	ι	3 marks]
	Name of blood vessel	
	Explanation	

Turn over for the next question


Turn over ►





0 5 . 1


Figure 3 shows diagrams of six possible arrangements of chromosomes in cells.


Figure 3














Before meiosis, a cell of a rice plant has 12 pairs of homologous chromosomes (24 chromosomes in total).

Give the letter of the diagram from **Figure 3** that correctly shows the chromosome content of rice cells after the first meiotic division and after the second meiotic division.

[2 marks]

After first meiotic division	
After second meiotic division	n



		L
0 5 . 2	Scientists have produced a mutated rice variety in which there is no crossing over.	
	A population of the mutant rice variety produced by sexual reproduction shows genetic variation. Populations of non-mutant rice varieties also show genetic variation.	
	Suggest and explain the similarities and differences in the causes of genetic variation within these rice populations. [3 marks]	
		L



0 6.1	Describe the hydrolysis reactions involved in the digestion of triglycerides.	
	Do not write about the activity of lipase.	ro
		[2 marks]
0 6 . 2	All mammals produce a lipase called CEL.	
	CEL digests triglycerides.	
	CEL is activated by bile salts binding to the enzyme.	
	Describe two other functions of bile salts.	[2 marks]
	1	[Z marks]
	I	
	2	



0 6 . 3	Mammals feed their young on milk. CEL digests the triglycerides in milk. The ability to produce CEL occurred due to a gene mutation.	
	Describe how natural selection may have led to all mammals in a population producing CEL. [4 marks]	
		Ĺ



Figure 4 shows the mass of DNA present in a group of healthy cells.

Number of cells with this mass of DNA

Figure 4

Ose your	r knowledge of the cell cycle to explain the results shown in F	[3 marks]

Mass of DNA in cell / arbitrary units



0 7 . 1

0 7.2	Suggest one way Figure 4 would be different if these cells were tumour cells.
	Justify your answer. [2 marks]
	[2 marks]
0 7 . 3	Describe the behaviour of chromosomes in prophase and metaphase of mitosis.
	[2 marks]
	Prophase
	Metaphase
	Question 7 continues on the next page

Turn over ▶



	п
	-
	=
	_
	_
	_
	٦
	<u>a</u>
	2
	-
	v
	c
	-
	=
	σ.
	-
	_
	-
	The relacited futer from www.wisesprout.co.uk
	C
	_
	_
	=
	C
	_
	_
	_
	_
	~
	_
	<
	_
	<
	•
	5
	-
	77
	×
	Q.
	U
	~
	_
	-
	C
	~
	_
_	
	6
	١,
	C
	7
	_

找名校导师,用小草线上辅导(微信小程序同名)

Filia Felsonai Luioi

9	

During anaphase, the spindle exerts 3×10^{-11} N of force on each chromatid. This force generates 6×10^{-19} W of power.

Calculate the speed of movement, in nm $\rm s^{-1}$, of one chromatid during anaphase using the following equation:

$$P = F \times V$$

Where P = power in W

0 7.

F = force in N

 $V = speed in m s^{-1}$

Show your working.

[2 marks]

Answer	nm s-



0 8 . 1

A student investigated a method for estimating the concentration of protein in solution by using a measure of the density of the solutions.

Copper sulfate solutions of different concentration have known densities, so they can be used to measure the density of other solutions.

The student prepared a dilution series of a copper sulfate solution.

Complete **Table 3** by giving all headings, units and volumes required to make 30 cm³ of the concentration of the copper sulfate solution shown.

[2 marks]

Table 3

Concentration of copper sulfate solution /	Volume of 100 g kg ⁻¹ copper sulfate solution /	Volume of water /
75		

Question 8 continues on the next page



0 8 . 2


Table 4 shows the densities of the dilution series of the copper sulfate solution.

Table 4

Concentration of copper sulfate solution / g kg ⁻¹	Density of solution / g cm ⁻³
0	0.997
25	1.014
50	1.030
75	1.048
100	1.065

Figure 5 shows the densities of protein solutions of different concentration.

Figure 5





The student put one drop of 10% protein solution into each of the copper sulfate solutions shown in **Table 4**.

Using **Figure 5**, he predicted that the drop would sink in the 0 and 25 g kg⁻¹ copper sulfate solutions and float in the 50, 75 and 100 g kg⁻¹ copper sulfate solutions.

Give the density of the 10% protein solution **and** explain why the student predicted that the drop would sink in the 25 g kg^{-1} copper sulfate solution.

	[2 marks]
Density of 10% protein solution	g cm ⁻³
Explanation	
State the range of possible concentrations of a protein solution th copper sulfate solution and floats in 100 g kg ⁻¹ copper sulfate solu	
	[1 mark]
Minimum concentration	%
Maximum concentration	

Question 8 continues on the next page



0 8 . 3

Turn over ►

8

	<u></u>
	\simeq
	o,
	č
	큵
	O
	0
	ċ
	sprout.co.uk
	4
	Ж
	πk
	7
	X
	:In
	戍 位 久 山 弓
	∃
	ς.
	Ш
	ݖ
	_
	╢
	in
	M
	Н
	#
	#
	40
	_
	,用小早线工铺守(1
,	긼
ı	=
ı	ηШ
ı	愈信小程,
Į	-
ı	HI

0 8.4	Blood donation involves healthy donors giving blood that can be used to treat hospital patients.
	When donors arrive, the haemoglobin concentration of their blood is tested.
	A sample of each donor's blood is added to a copper sulfate solution to determine whether the haemoglobin concentration is high enough to donate.
	Errors sometimes occur with this test.
	Tom has a concentration of haemoglobin high enough to donate.
	Lucy has a concentration of haemoglobin too low to donate.
	Evaluate the consequences of errors occurring when Tom's and Lucy's blood samples
	are tested. [3 marks]
	Consequences of measurement error for Tom's blood
	Consequences of measurement error for Lucy's blood



0 9	Scientists dissected gills from several species of fish. They recorded:
	the mass of the whole fish
	the total number of gill filamentsthe mean length of one filament
	the mean number of lamellae per mm
	the mean surface area of one lamella.
0 9 . 1	It was not possible for the scientists to measure the length of every filament and the surface area of every lamella.
	Suggest how they collected data to give a reliable mean for these variables.
	[2 marks]
0 9.2	From these measurements, the scientists calculated the total surface area of the gas exchange surface on the gills of each fish species.
	Calculate the total surface area of the gills of a fish with the following measurements:
	• total number of gill filaments = 595
	 mean length of one filament = 2.86 mm mean number of lamellae per mm = 16
	• mean surface area of one lamella = 0.66 mm ²
	Give your answer in mm ² and to an appropriate number of significant figures.
	Show your working.
	[2 marks]
	$\underline{\hspace{1cm}} mm^2$
	Question 9 continues on the next page



0 9 . 3

Table 5 shows the scientists' data for two species of fish.

Table 5

Fish species	Mean fish mass / g	Mean total surface area of the gills / mm ²
Opsanus tau	305	46 100
Trachurus trachurus	250	252 500

One of these fish spends most of its time not moving, waiting to catch passing prey. The other species is very active, hunting mobile prey.

Suggest which of the species in **Table 5** is the very active fish species.

Explain your answer.

[2 marks]

ery active fish species
xplanation

0 9 . 4

Complete **Table 6** to show the phylogenetic classification for these two species.

[2 marks]

Table 6

Taxon	Opsanus tau	Trachurus trachurus
		Animalia
	Chordata	
Class	Actinopterygii	Actinopterygii
	Batrachoidiformes	Carangiformes
Family	Batrachoididae	Carangidae
Genus		
Species	tau	trachurus



8

1 0 . 1	Outline the similarities in, and the differences between, the structures of DN RNA molecules.	A and
	Tit V (moloculos.	[6 marks]
	Question 10 continues on the next page	
	Question to continues on the next page	






1 0 . 2	Outline the similarities in, and the differences between, the structures of chloroplasts and mitochondria.
	[4 marks]

END OF QUESTIONS







Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the

32 There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2023 AQA and its licensors. All rights reserved.



