

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

# GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Physics Paper 1F

Wednesday 22 May 2019 Afternoon Time allowed: 1 hour 15 minutes

### **Materials**

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).

### Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
TOTAL			

## Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.




0 1 A designer made some shoes that have lights in them.

Each shoe has a switch which closes when a person puts their foot on the floor.

Figure 1 shows the circuit.

Figure 1



0 1. 1 What is component X?

[1 mark]

Tick (✓) one box.

Lamp

LDR

LED

0 1 . 2 Complete the sentence.

Choose the answer from the box.

[1 mark]

greater than less than the same as

When the switch was closed, the current in component **X** was


the current in the resistor.



The designer tested how the number of cells affected the number of steps that could be taken before the lights stopped working.

Figure 2 shows the results.

Figure 2



0 1 . 3	Determine how many more steps could be taken when the number of cells increased from 3 to 5		
	moreased nom 3 to 3	[2 marks]	
	Number of steps =	thousand	

Question 1 continues on the next page



0 1.4	How could the designer check the repeatability of the results?  [1 mark]  Tick (✓) one box.
	Repeat the experiment with a different resistor in the circuit.
	Repeat the experiment using exactly the same method.
	Repeat the experiment with different types of shoe.
0 1.5	When the potential difference across the resistor was 0.80 V, the current in the resistor was 0.020 A  Calculate the power dissipated by the resistor.
	Use the equation:  power = potential difference × current  [2 marks]
	Power =W
0 1.6	Which other equation can be used to calculate the power dissipated by a resistor?  [1 mark]  Tick (✓) one box.
	Power = (current) <sup>2</sup> × resistance
	Power = $\frac{\text{current}}{(\text{resistance})^2}$
	Power = current × (resistance) <sup>2</sup>



Ξ	
=	
=	ť
2	2
-	τ
C	
Ė	7
۶	
2	2
Ξ	2
2	ľ
Ξ	
2	
2	7
2	2
Т	
Ξ	
•	
2	
Ξ	3
_	
3	2
5	S
2	2
:	
ź	
2	_
Ģ	Ċ
ç	Ų
0	ľ
2	
7	7
٢	_
2	
:	
C	3
C	0

找名校导师,
用小草线上辅导。
(微信小程序同名)

0 1.7	What happens to the temperature of the resistor when there is a current in it?	[1 mark]
0 1 . 8	There was a current of 0.020 A in the resistor for 180 seconds.	
	Calculate the charge flow through the resistor.	
	Use the equation:	
	charge flow = current × time	[2 marks]
	Charge flow =	C

Turn over for the next question

A student investigated how the area of a solar panel affected the output potential difference of the solar panel.

The student placed different sized solar panels under a lamp.

Figure 3 shows a solar panel under a lamp.

Figure 3



0 2.1	Which variable should be controlled?  Tick (✓) one box.	[1 mark]
	The area of the solar panels	
	The brightness of the lamp	
	The output potential difference of the solar panels	



0 2.2	The student measured the output potential difference using a voltmeter.  When the voltmeter was <b>not</b> connected, the reading on the voltmeter was 0.7 V  What name is given to this type of error?  [1 mark]
	Tick (✓) <b>one</b> box.
	Zero error
	Random error
	Measurement error
	Question 2 continues on the next page



**Table 1** shows the results of the investigation.

Table 1

Solar panel	Area of solar panel in cm <sup>2</sup>	Output potential difference in volts			
		Test 1	Test 2	Test 3	Mean
Α	10	2.5	2.4	2.6	2.5
В	20	5.0	5.0	4.9	5.0
С	30	7.5	11.9	7.5	7.5
D	50	12.4	12.6	12.5	12.5

0 2 . 3	The readings for which solar panel show an anomalous result?  [1 mages]		
	Tick (✓) <b>one</b> box.	i iliai kj	
	A B C D		
0 2.4	The student did <b>not</b> have a solar panel with an area of 40 cm <sup>2</sup> Determine the most likely value for the mean output potential difference of a 40	) cm <sup>2</sup>	
	solar cell.	1 mark]	
	Mean output potential difference =	V	



	Question 2 co	ontinues on the next page	
	A renewable energy resource	is one that is	as it is used.
	burned	replenished	consumed
			[1 mark]
	Choose the answer from the b	oox.	
0   2  . 6	Solar power is a renewable er Complete the sentence.	nergy resource.	
		Efficiency =	
	efficiend	$cy = \frac{\text{useful output energy trans}}{\text{total input energy transfe}}$	
	Use the equation:		
	Calculate the efficiency of the	solar panel.	
	The useful output energy trans	sfer was 0.96 joules.	
0 2 . 5	The total input energy transfer	r to one of the solar panels was	8.0 joules.






0 2 . 7	Some homes have solar panels which generate electricity.	
	On a sunny day the potential difference across a solar panel is 31 volts.	
	A charge of 490 coulombs flows through the solar panel.	
	Calculate the energy transferred by the solar panel.	
	Use the equation:	
	energy transferred = charge flow × potential difference	
	Give your answer to 2 significant figures.  [3 marks]	
	Energy transferred = J	
0 2.8	Why do solar panels on homes help reduce the environmental impact of using electrical devices?  [1 mark] Tick (✓) one box.	
	Less electricity is used in the home.	
	Less fossil fuel is burned.	
	The electricity from the solar panels is cheaper.	
		L



Do not write







0 3	In an experiment, a beam of alpha particles was directed at a thin sheet of gold foil.
0 3.1	Most of the alpha particles passed straight through the gold foil.
	Alpha particles which passed close to the nucleus of a gold atom did <b>not</b> pass straight through.
	What happened to the alpha particles which passed close to the nucleus of a gold atom?
	[1 mark]
0 3.2	The results suggested that the diameter of the nucleus of a gold atom is $\frac{1}{6000}$ of the diameter of the atom.
	The diameter of a gold atom is 0.18 nm
	Calculate the diameter of a gold nucleus in nm  [2 marks]
	Diameter = nm




0 3 . 3

Further experiments showed that gold nuclei are surrounded by electrons in different energy levels.

Figure 4 shows three of the energy levels around the nucleus of a gold atom.

Figure 4



The electron in energy level **B** absorbs electromagnetic radiation.

Which energy level will the electron be in after it has absorbed the electromagnetic radiation?

[1 mark]

Tick (✓) one box.

Α

В

С


Question 3 continues on the next page




找名校导师,用小草线上辅导(微信小程序同名)

**Figure 5** shows how the temperature of a small sample of gold changes as it is heated from a solid to a liquid.







[1 mark]

Melting point = \_\_\_\_\_°C

0 3 . 5 How many minutes did it take for all of the gold in the sample to change from solid to liquid?

[1 mark]

Time taken = minutes



		Do not write
0 3.6	What does the gradient of the graph in <b>Figure 5</b> represent? [1 mark]	outside the box
	Tick (✓) <b>one</b> box.	
	The internal energy of the gold	
	The rate of change of temperature of the gold	
	The specific heat capacity of the gold	
		7 Find Pers
		onal Tuto
	Turn over for the next question	or from w
		ww.wisesp
		7 7
		找名校导师,用小草线上辅导(微信小程序同名)
		,用小草 <u>乡</u>
		发上辅导 (
		微信小精



- 0 4 Protactinium (Pa) is radioactive.
- An atom of one isotope of protactinium contains 91 protons and 143 neutrons. 4

What is the correct symbol for this atom?

[1 mark]

Tick (✓) one box.

A teacher investigated how the count rate from a sample of protactinium changed over time.

Table 2 shows the results.


Table 2

Time in seconds	Count rate in counts per second
0	200
50	122
100	74
150	45
200	27



Figure 6 shows some of the teacher's results.





0 4 . 2 Complete the graph in Figure 6.

Use data from Table 2.

Draw the line of best fit.

[2 marks]

How much time did it take for the count rate to change from 200 counts per second to 100 counts per second?

[1 mark]

Time taken = s

0 4 . 4 What is the half-life of protactinium?

[1 mark]

Half-life =



找名校导师,用小草线上辅导(微信小程序同名)

The nuclear radiation from the protactinium can pass through paper.		(
This radiation can only be detected up to 1 metre away from the protactinium.		
What type of radiation is emitted by the protactinium?	[4 mouls]	
Tick (✓) one box.	[ I IIIark]	
Alpha		
Beta		
Gamma		
Neutron		
Why are articles in scientific journals generally more trustworthy than articles in newspapers?		
	F4	
	[1 mark]	
	This radiation can only be detected up to 1 metre away from the protactinium.  What type of radiation is emitted by the protactinium?  Tick (✓) one box.  Alpha  Beta  Gamma  Neutron  The teacher read an article about the effects of radiation on the human body.  Why are articles in scientific journals generally more trustworthy than articles	This radiation can only be detected up to 1 metre away from the protactinium.  What type of radiation is emitted by the protactinium?  [1 mark]  Tick ( ) one box.  Alpha  Beta  Gamma  Neutron  The teacher read an article about the effects of radiation on the human body.  Why are articles in scientific journals generally more trustworthy than articles



Figure 7 shows a toaster.

# Figure 7



The toaster is connected to the mains supply using a three-core cable.

0	5	. 1	What is the function of the earth wire inside the cable?
---	---	-----	--

[1 mark]

Tick (✓) one box.

To carry the current from the supply to the toaster

To complete the circuit in the toaster



To melt if a fault occurs inside the toaster

To stop the metal case of the toaster becoming live if a fault occurs

0 5 Complete the sentences.

Choose answers from the box.

[3 marks]

blue	brown	orange	wnite	yellow
The insulation arou	nd the earth wi	re is green and		·
The insulation arou	nd the live wire	is	·	
The insulation arou	nd the neutral v	vire is		



. 3	The toaster is switc	hed on for 120 seconds.		
	The power of the to	aster is 850 watts.		
	Calculate the energ	y transferred by the toast	er.	
	Use the equation:			
		energy transferred	= power × time	[2 mark
		Energy trans	ferred =	
4	Complete the sente	ences.		
	Choose answers fro	om the box.		[2 mark
	Choose answers fro	elastic potential	kinetic	[2 mark
	chemical			
	chemical  When bread is lower.	elastic potential ered into the toaster, a spr		thermal
	chemical  When bread is lower stores	elastic potential ered into the toaster, a spr	ing is stretched. Thergy.	thermal ne stretched spring
	chemical  When bread is lowe stores  After the bread is to	elastic potential ered into the toaster, a spr	ing is stretched. Thergy.	thermal ne stretched spring ards. As the



0 5 . 5	Write the equation which links gravitational field strength, gravitational potential	
	energy, height and mass. [1 mages]	ark]
	<u> </u>	-
0 5.6	The toast was moved upwards by the spring.	
	The change in gravitational potential energy of the toast was 0.049 J	
	The mass of the toast was 0.050 kg	
	gravitational field strength = 9.8 N/kg	
	Calculate the change in height of the toast.	
	[3 mai	'KS]
	Change in height =	
	Onange in neight =	_'''


Turn over for the next question



A student investigated how the current in a resistor varies with the potential difference across the resistor.

Figure 8 shows part of the circuit used.

Figure 8



0 6.1 The student connected an ammeter and a voltmeter into the circuit.

What is the correct way to connect the ammeter and the voltmeter into the circuit?

[1 mark]

Tick (✓) one box.

Ammeter	Voltmeter	
In parallel with the resistor	In series with the resistor	
In parallel with the cell	In series with the resistor	
In series with the resistor	In parallel with the resistor	
In series with the resistor	In parallel with the cell	

0 6.2	The student increased the resistance of the variable resistor.	
	How did increasing the resistance affect the current in the circuit?	[1 mark]



0 6 . 3	How should the student change the circuit to give negative values for current potential difference?	t and [1 mark]
0 6.4	Name the type of relationship between current and potential difference for a constant temperature.	resistor at [1 mark]
0 6.5	Write the equation which links current, potential difference and resistance.	[1 mark]
0 6.6	The current in the resistor was 0.12 A when the potential difference across the was 3.0 V  Calculate the resistance of the resistor.	ne resistor
		[3 marks]
	Resistance =	Ω



0 7	A scientist cooled the air inside a container.	
0 7 . 1	The temperature of the air changed from 20 °C to 0 °C	
	The volume of the container of air stayed the same.	
	Explain how the motion of the air molecules caused the pressure in the container to change as the temperature decreased.  [3 mark]	(s]
0 7.2	The air contained water that froze at 0 °C	
	The change in internal energy of the water as it froze was 0.70 kJ	
	The specific latent heat of fusion of water is 330 kJ/kg	
	Calculate the mass of ice produced.	
	Use the Physics Equations Sheet. [3 mark	(s]
	Mass of ice =	kg



0 7.3

The air also contained oxygen, nitrogen and carbon dioxide.

Oxygen boils at –183 °C and freezes at –218 °C Nitrogen boils at –195 °C and freezes at –210 °C Carbon dioxide sublimates at –78 °C

The scientist continued to cool the air to a temperature of -190 °C

What is the state of each substance at -190 °C?

[2 marks]

Tick  $(\checkmark)$  one box for each row of the table.

Substance	Solid	Liquid	Gas
Oxygen			
Nitrogen			
Carbon dioxide			

Question 7 continues on the next page




The air also contained a small amount of argon.

As the temperature of the air decreased from 20 $^{\circ}$ C to –190 $^{\circ}$ C the argon changed from a gas to a liquid to a solid.
Explain the changes in the arrangement and movement of the particles of the argon as the temperature of the air decreased.  [6 marks]

**END OF QUESTIONS** 



0 7.4





# There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

### Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material are published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2019 AQA and its licensors. All rights reserved.



