

Please write clearly in	n block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Chemistry Paper 2F

Tuesday 13 June 2023 Morning Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed).

Instructions

- · Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
TOTAL		



0 1	Crude oil contains a large number of hydrocarbons.	
0 1.1	Crude oil is a finite resource. What is a finite resource? Tick () one box. A limited resource A renewable resource A sustainable resource	mark]
0 1.2	What is crude oil formed from? Tick (✓) one box. Plankton Volcanoes Water	mark]



0 1.3	What type of substance is crude oil? [1 mark] Tick (✓) one box.
	Compound
	Element
	Mixture
0 1.4	The hydrocarbons in crude oil are separated into fractions using fractional distillation.
	Complete the sentences.
	Choose answers from the box. [2 marks]
	condense evaporate freeze melt
	In fractional distillation the crude oil is heated so
	the hydrocarbons
	The fractions collect as the hydrocarbons cool and
	Question 1 continues on the next page





	Hydrocarbons can be cracked to produce more useful molecules.			
0 1.5	Complete the sentence. Choose the answer from the	e box.		
	Choose are anewer wern are	, 20A.		[1 mark]
	alloys	fertilisers	fuels	
	Some products of cracking a	are useful as		
0 1.6	Hydrogen gas is a product o	of cracking.		
	What is used in the test for h	nydrogen gas?		[1 mark]
	Tick (✓) one box.			
	Burning splint			
	Glowing splint			
	Limewater			



10

0 1.7	5.20 kg of crude oil contains 1.53 kg of LPG (Liquefied Petroleum Gas).	
	Calculate the percentage (%) of LPG in 5.20 kg of crude oil.	
	Give your answer to 3 significant figures.	[3 marks]
	Percentage (3 significant figures) =	%

Turn over for the next question

Turn over ▶



0 2	The Earth's atmosphere is always changing.		
0 2.1	Gases in the Earth's early atmosphere caused changes on the Earth.		
	Draw one line from each change to the gas that caus	ed the change. [2 marks]	
	Change	Gas that caused the change	
		Ammonia	
	Oceans formed	Carbon dioxide	
		Nitrogen	
	Sedimentary rocks formed		
		Oxygen	
		Water vapour	



Table 1 shows the percentage of some gases in the atmospheres of Earth and Mars today.

Table 1

Can	Percentage of gas in atmosphere (%)		
Gas	Earth	Mars	
Argon	0.90	1.9	
Carbon dioxide	0.04	95	
Nitrogen	78	2.6	
Oxygen	21	0.20	

0 2.2	Which gas has the highest percentage in the Earth's atmosphere? [1 mark]
0 2.3	Calculate how many times more carbon dioxide there is in the atmosphere of Mars than in the atmosphere of Earth.
	Use Table 1 .
	Give your answer in standard form. [3 marks]
	Number of times more carbon dioxide (in standard form) =






Carbon dioxide is a greenhouse gas.

0 2 . 4

Figure 1 shows the concentration of carbon dioxide in the Earth's atmosphere from 1960 to 2020.

Figure 1



How has the concentration of carbon dioxide in the Earth's atmosphere changed from 1960 to 2020?

[1 mark]

Decreased	
Stayed the same	
Increased	

Tick (✓) one box.



0 2 . 5	Cars emit carbon dioxide.
	A car emits 17.2 kg of carbon dioxide on a journey.
	There are four people in the car.
	Calculate the mass of carbon dioxide emitted per person. [2 marks]
	Mass of carbon dioxide = kg
0 2.6	Planting trees helps to reduce climate change, because trees use carbon dioxide from the Earth's atmosphere.
	Name the process in trees which uses carbon dioxide. [1 mark]


Question 2 continues on the next page



0 2 . 7

Figure 2 shows the annual change in forest area in four different parts of the world.





Give two conclusions about the annual change in forest area.

Γ2	marks]


1		
2)	
_		



0 2 . 8 Methane is a greenhouse gas.

Figure 3 shows sources of methane emissions.

Figure 3



Determine the percentage (%) of methane emissions from landfill.

[1 mark]

Percentage = %


Question 2 continues on the next page



15

0 2.9 Figure 4 shows two ways (A and B) of preventing used items going to landfill.

Figure 4




Name A and B.

Choose answers from the box.

[2 marks]

recycle	reduce	release	reuse	reverse
A				
В				





Turn over ▶



0 3 Some types of water contain dissolved substances.

A student investigated the mass of dissolved solids in distilled water and in sea water.

Figure 5 shows the apparatus.

Evaporating basin

A Heat

This is the method used.

- 1. Weigh an evaporating basin.
- 2. Add a sample of distilled water to the evaporating basin.
- 3. Weigh the evaporating basin and the water sample.
- 4. Heat the water sample.
- 5. Weigh the evaporating basin and contents.
- 6. Repeat steps 1 to 5 two more times.
- 7. Repeat steps 1 to 6 with sea water.

0 3.1	Give one safety precaution the student should take.	[1 mark]



0 3.2	The method used did not give valid results.	
	Which two improvements could the student make to give valid results?	[2 marks]
	Tick (✓) two boxes.	
	Heat until the mass of the evaporating basin and contents does not change.	
	Leave some water in the evaporating basin after heating.	
	Record the results in a table and plot a bar graph.	
	Use 25 cm ³ of water for each experiment.	
	Use a beaker instead of an evaporating basin.	

0 3. A different student used a method which gave valid results.

Table 2 shows the results.

Table 2

	Mass of dissolved solids in grams				
Type of water	Test 1	Test 2	Test 3		
Distilled water	0.00	0.00	0.00		
Sea water	0.31	0.32	0.27		

The student concludes that distilled water is pure.

Suggest one reason why.

[1 mark]




	Tap water is potable. One step in producing potable water is sterilisation.		
0 3.4	Why is potable water sterilised? Tick (✓) one box.		[1 mark]
	To improve the taste		
	To kill bacteria		
	To remove dissolved solids		
0 3.5	Chlorine is used to sterilise water.		
	The reaction between chlorine and water is reversible.		
	Complete the sentence.		[1 mark]
	Equilibrium is reached when the forward and reverse reactions		
	occur at the same		
0 3.6	The test for chlorine uses damp litmus paper.		
	Complete the sentence.		
	Choose the answer from the box.		[1 mark]
	blue green	white	
	When damp litmus paper is put into chlorine gas the litmus paper turns		




There is evidence that adding fluoride ions to drinking water reduces tooth decay.

Figure 6 shows the percentage of people showing tooth decay.







Key

- Water with fluoride ions
- Water without fluoride ions

 _	 _ compand and one
	between the ages o

Use data from Figure 6.

0 3 . 7 Compare the effects of adding fluoride ions to drinking water on tooth decay in people of 25 and 74.

Turn over ▶


[4 marks]



12

0 3.8	Student A says that water companies should add fluoride ions to all drinking water.
	Student B disagrees.
	Suggest one reason why Student B may think that fluoride ions should not be added to all drinking water.
	[1 mark]









- 0 4 A catalyst is used to increase the rate of decomposition of hydrogen peroxide.
- **0 4** . **1** Hydrogen peroxide decomposes to produce water and oxygen.

Write a word equation for the reaction.

[1 mark]




A student investigated the rate of decomposition of hydrogen peroxide using three different catalysts:

- manganese dioxide
- copper oxide
- zinc oxide.

Figure 7 shows the apparatus.

Figure 7





	This is the method used.				
	1. Measure 25 cm³ of hydrogen peroxide so	lution into a flask.			
	2. Add 0.5 g of manganese dioxide catalyst	2. Add 0.5 g of manganese dioxide catalyst to the flask.			
	3. Attach a gas syringe to the flask.				
	4. Measure the volume of oxygen produced	every 20 seconds for 120 seconds.			
	5. Repeat steps 1 to 4 two more times.				
	6. Repeat steps 1 to 5 using copper oxide c	atalyst.			
	7. Repeat steps 1 to 5 using zinc oxide cata	lyst.			
0 4 . 2	Which two control variables are used in the	investigation? [2 marks]			
	Tick (✓) two boxes.				
	Mass of catalyst				
	Shape of flask				
	Time of taking readings				
	Volume of hydrogen peroxide solution				
	Volume of hydrogen peroxide solution				
	Volume of oxygen produced				
	Question 4 continues on the next page				






Table 3 shows the results with manganese dioxide catalyst.

Table 3

Time in seconds	0	20	40	60	80	100	120
Volume of oxygen in cm ³	0	20	32	40	45	49	50

Figure 8 shows a graph of the results with copper oxide catalyst and with zinc oxide catalyst.

Figure 8



0 4 . 3 Complete Figure 8.

You should:

- plot the data for the manganese dioxide catalyst from Table 3
- draw a line of best fit.

The first two points have been plotted for you.

[3 marks]



找名校导师
-
用小草线上辅导
444
刪
40
$\overline{}$
_:
测
=
ݖ
<
Hill
-
44
微信小程序同名
7
ПU
$\overline{}$
_

0 4.4	Which is the best catalyst	?	
	Give one reason for your	answer.	
	Use the completed Figure	e 8.	[2] manulcal
	Tick (✓) one box.		[2 marks]
	Copper oxide		
	Manganese dioxide		
	Zinc oxide		
	Reason		
0 4 . 5	The student repeated the	investigation with manganese dioxide	e catalyst.
	The results were all close	to the true value.	
	Complete the sentence.		
	Choose the answer from	the box.	[4 mark]
			[1 mark]
	accurate	approximate	random
	Results that are close to t	the true value are	
	Question	4 continues on the next page	





0 4.6	The student repeated the invhigher temperature.	vestigation using manganese o	lioxide catalyst at a	outsid bo
	Complete the sentence.			
	Choose the answer from the	m the box. [1 ma		k]
	decrease	stay the same	increase	
	At a higher temperature, the	rate of reaction will	,	10



- 0 5 The combustion of fuels is a source of atmospheric pollutants.
- 0 5 . 1 Methane is a fuel.

Balance the equation for the combustion of methane.

[1 mark]

$$\mathsf{CH_4} \, + \, \underline{\hspace{1cm}} \mathsf{O_2} \, \rightarrow \, \mathsf{CO_2} \, + \, \underline{\hspace{1cm}} \mathsf{H_2O}$$

0 5 . 2 Many fuels are mixtures.

Petrol and diesel are mixtures of hydrocarbons.

Table 4 shows properties of petrol and of diesel.

Table 4

	Petrol	Diesel
Range of number of carbon atoms in a hydrocarbon molecule	4 to 12	12 to 20
Range of boiling points in °C	40 to 205	250 to 350

Compare the properties of petrol and diesel.

		_	_	
Use	Tal	hlΔ	4	

[2 marks]





0 5.3	The gases released when a fuel is burned in car engines may include: • oxides of nitrogen • carbon monoxide • water vapour. Which chemical element do all these gases contain? Tick (✓) one box. Carbon Hydrogen Nitrogen Oxygen	[1 mark]
0 5.4	When diesel burns in car engines, oxides of nitrogen are produced. Where does the nitrogen come from?	[1 mark]
0 5.5	When diesel burns, particulates may be produced. What environmental effect do particulates from burning diesel cause?	[1 mark]



12

0 5 . 6	Carbon monoxide may be produced when diesel burns.	
	Give one reason why carbon monoxide is difficult to detect. [1 mail]	rk1
	į i mai	· v.]
		_
0 5 . 7	Explain why water vapour and not liquid water is produced when diesel burns.	_
	[2 mark	(S]
0 5.8	Sulfur is a common impurity in diesel.	
	Explain why this causes an environmental problem. [3 mark]	(s)
	į man	.0]

Turn over for the next question



Turn over ►

prout.co.uk
找名校导师 ,
用小草线上辅导
(微信小程序同名

0 6	Chromatography is used to separate mixtures.	
	Chromatography involves a mobile phase and one other phase.	
0 6.1	What is the other phase in chromatography? Tick (✓) one box.	[1 mark]
	Moving phase	
	Recycled phase	
	Stationary phase	
	Viscous phase	
0 6.2	Why do the substances in the mixture separate in the mobile phase?	[1 mark]
0 6.3	How many spots will be produced on the chromatogram of a pure compound? Number of spots =	[1 mark]



Ξ.
:co.uk
\Box
ᆽ
4
X
找名校과冯
ПΛ
⇉
~1
业
⋽
_
-
Ж
щ
ݖ
用小草线上辅导(
401
120
ΧĤ
ĭ
П
#
Щ
:IIT
40
$\overline{}$
_
갱
≘
ݖ
_
1
삔
ᆒ
-31
ш
HA
微信小程序同名
$\overline{}$
_

0 6.4	In a chromatography experiment, a blue colour moved 4.77 cm.	
	The solvent moved 5.30 cm.	
	Calculate the $R_{\mbox{\scriptsize f}}$ value for the blue colour.	[2 marks]
	R _f value =	

Question 6 continues on the next page






找名校导师
,用小草线上辅导
(微信小程序同名)

0 6 . 5	Black ink is a mixture of several colours.
	Plan an experiment using paper chromatography to:
	separate the colours in black ink
	• identify the colours from their R _f values. [6 marks]

END OF QUESTIONS





Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



0 "	Additional name if naminad
Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2023 AQA and its licensors. All rights reserved.



