



GCSE (9–1) Biology B (Twenty First Century Science)

J257/03 Breadth in biology (Higher Tier)

Tuesday 15 May 2018 – Afternoon

Time allowed: 1 hour 45 minutes

You must have:

• a ruler (cm/mm)

You may use:

- · a scientific or graphical calculator
- an HB pencil



First name	
Last name	
Centre number	Candidate number

INSTRUCTIONS

- Use black ink. You may use an HB pencil for graphs and diagrams.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- · Do **not** write in the barcodes.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- This document consists of 24 pages.

© OCR 2018 [601/8506/5] DC (CE/CB) 159068/6

OCR is an exempt Charity


Turn over

Answer all the questions.

cai	carbon dioxide concentration light intensity temperature water availability [1]			
		Put a (ring) around the correct answer.		
		Which factor will not limit the rate of photosynthesis in the algae?		
	(ii)	Many factors can limit the rate of photosynthesis.		
			[1]	
	(i)	In which cell structure does photosynthesis take place?		
	Pho	tosynthesis takes place in the cells of algae.		
(b)	Alga	ae live in the marine environment around the Galapagos Islands.		
			[1]	
		Write down the name of the theory he suggested.		
	(ii)	Darwin suggested a theory to explain his observations.		
		have different characteristics.	[2]	
		Isolated populations of the same species living in different places		
		Some bacteria have become resistant to antibiotics.		
		There is usually extensive variation within a population of a species.		
		Pea plants with red flowers can produce offspring with white flowers.		
		There are differences between fossils and living examples of similar organisms.		
		Tick (✓) two boxes.		
	(i)	Which of the following are observations made by Darwin?		
	This work helped Darwin to develop a new explanation for the evolution of species			
	He collected samples and made observations.			
(a)	Charles Darwin visited the Galapagos Islands during the 19th century.			
The	he Galapagos Islands are a group of 13 islands found in the Pacific Ocean.			

1

(c) The food web shows the feeding relationships of some Galapagos Islands species.




(i) A weather event called El Niño occurs every three years. This causes the population of algae to decrease.

	[2
	-
Explain what effect this could have on the population of marine iguanas.	

Scientists have discovered that during this event the marine iguanas can shrink in size.

(ii) The length of the marine iguana is determined by measuring the distance from the snout to the end of the tail.

Below is a drawing of a marine iguana.



Use the scale bar to calculate the actual length of this marine iguana in metres.

Length of marine iguana = m [2]


(iii) Some marine iguanas can shrink by up to 20% of their original length.

Calculate the length of this marine iguana after maximum shrinkage.

Length after maximum shrinkage = m [1]

Scientists calculated the change in body length of the iguanas and measured how long they survived during the El Niño event.

The results are shown in the graph.



(iv) What can be concluded from the data?

Tick (✓) two boxes.

The marine iguanas that decreased in size the least survived longer.	
The change in body length made no difference to the survival time of the marine iguanas.	
The marine iguanas that decreased in size the most on average lived for a greater length of time.	
The marine iguanas that did not decrease in size survived for approximately 2 years less than the marine iguanas that decreased in size by up to 60 mm.	
The marine iguanas that decreased in size by 20 mm survived more than double the length of time than those that did not change in size.	[2]


A student is carrying out a field investigation to determine the population of woodlice in the school's

wild	ildlife garden.				
(a)	Describe a method the student could use to determine the population size of woodlice.				
	[4]				
(b)	Woodlice are often found under logs and bark where it is damp.				
	Suggest why woodlice prefer damp places.				
	[2]				

2

Different areas of the brain are responsible for different functions. 3

Three areas have been labelled **A**, **B** and **C** on the diagram of the brain.



(a) (i) The table describes the functions of areas A, B and C.

Complete the table by writing the correct area of the brain for each function.

Area of the brain	Function
	Responsible for conscious movement.
	Responsible for intelligence, memory, consciousness and language.
	Responsible for the regulation of heart rate and breathing rate.

[2]

	(ii)	Scientists want to find out more about the functions of the brain. One way they can do this is to use patients with brain damage.
		Suggest why there are concerns about using patients with brain damage.
		[1]
	(iii)	Write down one other way scientists could study the brain.
		[1]
(b)	The	cerebral cortex is a highly folded area of the brain made up of billions of neurons.
		cribe the features of a neuron that allow it to transmit electrical impulses quickly and over distances.
CR 20		[2] Turn over

	8			
Par	Parkinson's disease is a disease of the central nervous system.			
It is caused by the loss of neurons in one part of the brain. These neurons are responsible producing a transmitter substance called dopamine.				
(i)	Dopamine acts as a transmitter substance in control movement.	parts of the brain and nervous system that		
	Which neurons are most likely to be affected	by Parkinson's disease?		
	Tick (✓) one box.			
	Relay neurons only.			
	Relay and motor neurons.			
	Sensory neurons only.			
	Sensory and motor neurons.	[1]		
(ii)	At a synapse, transmitter substances are rele	eased from the first neuron.		
	Which word describes how the transmitter sfirst neuron to the second neuron?	substances move across the gap from the		
	Tick (✓) one box.			
	Active transport			
	Diffusion			
	Net movement			
	Osmosis	[1]		
(iii)		f stem cells in the treatment of Parkinson's		
	It is pro (i)	Parkinson's disease is a disease of the central need It is caused by the loss of neurons in one part of the producing a transmitter substance called dopamin (i) Dopamine acts as a transmitter substance in control movement. Which neurons are most likely to be affected Tick (one box. Relay neurons only. Relay and motor neurons. Sensory neurons only. Sensory and motor neurons. (ii) At a synapse, transmitter substances are released. Which word describes how the transmitter substance first neuron to the second neuron? Tick (one box. Active transport Diffusion Net movement Osmosis		

's disease.

Suggest one feature of stem cells that makes them useful in the treatment of Parkinson's disease.

.....[1]

			9		
Plan	ts re	espond to their environme	nt.		
(a)	(i)	What term is used to des		sponse to light?	[4 [.]
((ii)	auxin in the plant shoot.	light can be explained b	y the distribution of the plant	
		Key direction of auxin		at happens in the plant shoot.	
		Diagram A	Diagram B	Diagram C	
		Which diagram, A , B or towards the light?	C, best explains what h	nappens to make the plant sh	oot grow
		Explain your choice.			
		Diagram			
		Explanation			

Turn over © OCR 2018

.....[2]

	(iii)	Jamal's teacher gives him two boxes of cress seedlings, each box contains ten seedlings.
		Describe an experiment Jamal could do to investigate the growth response to light in the cress seedlings.
		[4]
(b)	_	ardener is growing fruit. He wants to ripen his fruit quickly and decides to use the plant mone gibberellin.
	Doy	you agree with his choice of hormone?
	Ехр	lain your answer.
		[2]
(c)		nts can be infected by communicable diseases, so they need to protect themselves inst pathogens.
	Des	cribe one chemical defence and one physical defence that plants have against pathogens.
	Che	mical defence
	Phy	sical defence[2]
(d)	Stat	e the function of stomata in plants.
		[1]

Cance	r is a non-communicable disease.
(a) (i	Describe what causes cancer.
(ii)	
(iii)	In the past it has been estimated that 1 in 3 people will develop cancer in their lifetime.
	Recent estimates suggest the ratio is 1 in 2.
	The UK population is 65 640 000.
	If the recent estimate is correct, how many people can be expected to develop cancer?
	Give your answer to 2 significant figures.
	Number of people =[2]
(iv)	· ·
	[1]
	ancer of the ovaries is a common type of cancer. Most women diagnosed with cancer of the raries will have an operation to remove their ovaries.
(i)	Before the operation, the doctor will discuss the risks of the operation with the patient. This is a high risk operation.
	Suggest why a patient would decide to go ahead with this operation.
	[1]

After surgery, the patient may have chemotherapy to kill any remaining cancer cells.


Chemotherapy also kills white blood cells.

A doctor describes this effect to the patient.

The chemotherapy will last 3 weeks. It will kill the cancer cells and also some of your white blood cells. The white blood cells will fall in number between days 7 and 14 of the treatment. They will be at their lowest on or around day 14. By the end of the treatment they should have returned to normal levels.



(ii) Draw a line graph on the axes below to show what happens to the number of white blood cells during each cycle of chemotherapy.



(iii) During the chemotherapy treatment, the patient is advised to seek urgent medical attention if they become ill and have a raised temperature.

Suggest between which days the patient is most at risk of becoming ill. Use data from the graph in your answer.

.....[1]

[2]

	(iv)	Why is a high temperature in the	he human body a problem?	
				[3
(c)	New	drugs and treatments have to	go through rigorous clinical trials.	
(0)) NOW	drugs and treatments have to	go unough ngorous chinical thais.	
		inical trial was conducted to sec eased survival rates for a type o	e if using a particular combination of chemotherapy of cancer of the ovaries.	drugs
	The	two drug combinations being to	ested were:	
	•	drugs 1 and 2 drugs 3 and 4.		
	(i)	The table shows some details	of the clinical trial design.	
	Use your knowledge of clinical trials to justify each part of the design.			
		Design	Justification	
	Only	women took part in the trial.		
	All women who took part in the trial had ovarian cancer. A placebo was not used.			
	An op	en trial was conducted.		

[4]

The results of the trial are shown in the table.

	Group A (Drugs 1 and 2)	Group B (Drugs 3 and 4)
Number of women who took part in the trial.	305	314
Number of women who were still alive two years after treatment.	247	222
Most severe side effects.	 A drop in total blood cell number Nerve damage Joint pain 	 Loss of appetite Diarrhoea Feeling or being sick High temperature Low white blood cell number

	(ii)	Use the information in the table to recommend which drug combination the doctors should use.
		Justify your decision.
		[2]
	(iii)	Explain why scientists should communicate findings such as these to a range of audiences.
		[1]
(d)	Scie	entists have been developing the use of monoclonal antibodies in cancer treatment.
		oclonal antibodies specific to a cancer cell antigen are produced and are injected into the d of a cancer patient.
	Des	cribe how monoclonal antibodies are used to treat cancer.
		[3]

6	The female mosquito <i>Aedes aegypti</i> is responsible for the transmission of diseases such as Zika virus.
	In May 2015, Zika virus was reported in Brazil and began to spread rapidly.

The mosquito feeds mainly on human blood. The virus is spread when a female *Aedes aegypti* mosquito bites an infected human and then bites an uninfected human.

(a) Zika virus is a communicable disease.

Visitors to Brazil in 2016 were concerned that they could become infected with the virus.

There is no vaccination for this virus.

(i)	Explain what a communicable disease is and suggest how a visitor to Brazil could reduce the risk of becoming infected with Zika.
	[2]
(ii)	The first ever human case of Zika was discovered in Nigeria in 1954. The timeline below shows how Zika spread.
1954 Nigeria —	1977–78 2007 2013 2015 → Pakistan, Malaysia, → Micronesia → French Polynesia → Brazil Indonesia
	The Zika virus can also be transmitted by sexual intercourse.
	People were concerned that hosting the Olympic games in Brazil in 2016 would increase the spread of the virus to other countries.
	Suggest how the virus could be spread to other countries and how this could be prevented.
	[2]

(i) The mosquito responsible for the spread of Zika has become resistant to some of the insecticides used to kill it.
Explain how a population of mosquitos could have become resistant to an insecticide.
[3]
(ii) One way scientists tried to solve the problem was to make genetically engineered mosquitoes that had a 'kill switch' gene. This gene caused the mosquitoes' offspring to die.
Describe the steps a scientist would use when genetically engineering a mosquito to have the 'kill switch' gene.
[3]
(iii) The 'kill switch' gene codes for the production of a protein called tTAV.
The tTAV protein blocks the transcription of other genes essential for mosquito survival.
When breeding the mosquitos in the laboratory a chemical called tetracycline is used Tetracycline binds to the tTAV protein and deactivates it.
Suggest why scientists use tetracycline when breeding the genetically engineered mosquitos.
[1]

		[2]
	Explain your reasons.	
	Do you agree?	
(IV)	using insecticide.	nan

7	A gene affects	whether	people	have	dimples	in their	cheeks.	There are	e different	variants	of t	this
	gene.											

An individual with the dominant variant, D, of this gene will have dimples.

(a) Jack and his wife Nina both have dimples.

Their daughter Mia does not have dimples.

(i) Complete the table to show the genotype of each individual.


Individual	Genotype
Jack	
Nina	
Mia	

[3]

(ii) Jack and Nina decide to have another child.

What is the probability that the second child will have dimples?

Use the Punnett square to show your working.



Probability	that the child wil	have dimples =	=	[2]


(b)	Scientists consider this trait an 'irregular' dominant trait. This is because sometimes a persor
	can have dimples but their children do not.

What could be responsible for this difference?

8 Amaya reads an article in a magazine which explains that genes code for the production receptor on the tongue.													
	Tast	aste receptors are proteins.											
	(a)	a) Complete the sentences to describe how a protein is made.											
		Use words from the I	ist.										
		Each word can be us	ed once, more tha	an once, or n	ot at all.								
		amino acids	bases	DNA	fatty acids	gene							
		genetic variant	mitochondrion	mRNA	A protein	ribosome							
		A copy of the		is made f	rom								
		This molecule travels	to a		in the cytoplas	sm.							
		Here	are jo	oined togethe	er to form a protei	n.							
	a different receptor. [4]												
	(b)	Scientists think that a bitter substance.	a mutation create	d the type of	f receptor that allo	ows someone to taste a							
		Explain how a mutati	on could affect the	e structure of	the receptor prot	ein.							

(c) Monkeys also have different variants of the gene that affects how they taste bitterness.

Scientists have proposed two explanations for how the non-tasting variants could have evolved in humans and monkeys.



Scientists have discovered that the non-tasting variants in humans and monkeys have different DNA sequences, even though they have the same effect.

Which explanation of how they evolved is most likely to be correct?

Explain your answ	ver.		

END OF QUESTION PAPER

21

ADDITIONAL ANSWER SPACE

If additiona must be cle	I space is required, you early shown in the margin	should use the (s).	following lined p	page(s). The q	uestion number(s)
	4				
		• • • • • • • • • • • • • • • • • • • •			
	1				

OCR Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.