

Mark Scheme (Results)

Summer 2022

Pearson Edexcel GCSE
In Biology (1SC0) Paper 1BF

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2022

Publications Code 1SC0_1BF_2206_MS

All the material in this publication is copyright

© Pearson Education Ltd 2022

General Marking Guidance

- 1. All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2. Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3. Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- 4. There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- 5. All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 1. Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 2. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- 3. Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.


Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

Assessment Objective		Command Word	
Strand	Element	Describe	Explain
AO1		An answer that combines the marking points to provide a logical description	An explanation that links identification of a point with reasoning/justification(s) as required
AO2		An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding	An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding)
AO3	1a and 1b	An answer that combines points of interpretation/evaluation to provide a logical description	
AO3	2a and 2b		An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning
AO3	3a	An answer that combines the marking points to provide a logical description of the plan/method/experiment	
AO3	3b		An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning

Paper 1SC0_1BF June 2022

Question number	Answer	Mark
1(a)	A Pathogen	(1)
	The only correct answer is A	AO1 1
	B is incorrect because a culture does not cause disease.C is incorrect because antibiotics do not cause disease.D is incorrect because platelets do not cause disease.	



Question number	Answer	Additional guidance	Mark
. , . ,	all points plotted correctly ± one small square		(1) AO2 2

Question number	Answer	Additional guidance	Mark
	straight line of best fit going through all the plotted points \pm two small squares.	ignore any extrapolation	(1) AO2 2

Question number	Answer	Additional guidance	Mark
1(c)(iii)	 A description including two from: 10°C is slower (than growth at 20°C) (1) 	accept 10°C is below / less (than the 20°C line)	(2) AO3 1a 1b
	 10°C is linear /straight (1) 10°C does not level off (1) supported by manipulated data (1) 	differences must be in 1000s	
		accept reverse arguments for 20°C	

(Total marks for question 1 = 7 marks)

Question number	Answer	Additional guidance	Mark
2(a)(i)	A description including two from:		(2)
	• by hitting it (1)		AO2 1
	 with another stone / rock / flint / something hard (1) 	not just another object	
	 to knock flakes /chips off (1) 		
		accept knapped (2)	

Question number	Answer	Mark
2(a)(ii)	B tool Q is more pointed than tool P	(1)
	The only correct answer is B	AO3 2a
	A is incorrect because colour does not tell you how advanced the maker of the tool was.	
	C is incorrect because colour does not tell you how advanced the maker of the tool was.	
	D is incorrect because Q is more pointed than P.	

Question number	Answer	Mark
2(a)(iii)	• mutate (1)	(2) AO1 1
	Must be in the correct order	
	Reject migrate against either mark	

Question number	Answer	Additional guidance	Mark
2(b)	A description including two from:		(2)
	 compare with other tools / fossils (that have already been dated) (1) 	accept compare to other tools that are less well / better made	AO2 1
	 from the (layer of) rock in which they are found / how deep down each was found (1) 		
	 radiometric dating / description of radiometric dating (1) 		
	comparing to other finds (of known age) from the same layer (of rock) (1)		

(Total marks for question 2 = 7 marks)

Question number	Answer	Mark
3(a)	A diffusion	(1)
	The only correct answer is A	AO1 1
	B is incorrect because respiration is the release of energy from glucose.	
	C is incorrect because osmosis is the movement of water, not alcohol.	
	D is incorrect because protein synthesis is how proteins are made.	

Question number	Answer	Additional guidance	Mark
	, , , , , , , , , , , , , , , , , , , ,	award full marks for	(3)
	, , ,	correct answer with no working	A03
	1.8 (1)		1a 1b
	Evaluation		
	, j	ecf for (3 – 1.7 or 3 - 1.9)	

Question number	Answer	Additional guidance	Mark
3(b)(ii)	An answer including two of the following:		(2)
	lollowing.		AO2 1
	 reduce alcohol intake / do not drink alcohol (1) 	accept data from graph / manipulated data from graph reflecting a reduction in drink	
	drink alcohol with meals / do not drink it on its own (1)	reduction in drillk	

Question number	Answer	Additional guidance	Mark
3(c)(i)	·	part of DNA	(1) AO1 1
		accept in mitochondria	

Question number	Answer	Additional guidance	Mark
3(c)(ii)	An explanation including:		(2)
	 person B must have an F allele because she does not have cystic fibrosis (1) 		AO2 2
	allele because person E must	accept because person E is ff / homozygous recessive	

Question number	Answer	Additional guidance	Mark
3(c)(iii)	ff (both letters must be lower case)	accept: homozygous recessive	(1) AO2 1
		accept: double recessive	
		accept: 'two small fs'	

(Total marks for question 3 = 10)

Question number	Answer	Mark
4(a)(i)	C 50 th to 75 th	(1)
	The only correct answer is C	AO3 1a
	A is incorrect because his height percentile is 50 - 75	
	B is incorrect because his height percentile is 50 - 75	
	D is incorrect because his height percentile is 50 - 75	

Question number	Answer	Mark
4(a)(ii)	Any one from:	(1)
	• to monitor height / growth (over time) (1)	AO1 1
	 to compare the growth of an individual against the standard growth pattern (1) 	

Question number	Answer	Additional guidance	Mark
4(b)(i)	A description including any two from: • tail / flagellum (1) • acrosome / sac with enzymes (1) • (many) mitochondria (1) • streamlined (1) • haploid / has 23 chromosomes (1)	accept has enzymes to digest the membrane around the egg	(2) AO1 1

Question number	Answer	er					
4(b)(ii)	Award one mark for ea	ch correct square	in the table.	(4) AO1 1			
		mitosis	meiosis				
	number of daughter cells produced	2	4				
	number of chromosomes in each daughter cell	46 / <u>23 pairs</u>	23				
	For mitosis (numbe own, must be qualif) ignore 23 on its				

Question number	Answer	Mark
4(c)(i)	A meristem	(1)
	The only correct answer is A	AO1 1
	B is incorrect because root hair cells are not the area of the root where many cells are dividing by mitosis.	
	C is incorrect because xylem is not the area of the root where many cells are dividing by mitosis.	
	D is incorrect because phloem is not the area of the root where many cells are dividing by mitosis.	

Question number	Answer	Additional guidance	Mark
4(c)(ii)	An answer including three of the following		(3)
	 add {enzyme (solution) / plant root cells} to glucose (solution) (1) 		AO3 3a
	• test for presence of starch (1)	accept use iodine	
	 test {each minute / at set time intervals} / time until a positive result for starch (1) 	iodine	
	 repeat at more than one pH / (in buffers) of different pH values (1) 		
	 reference to controlling one variable, e.g., same volume of solutions / same temperature (1) 		

(Total marks for question 4 = 12)

Question number	Answer	Additional guidance	Mark
5(a)	A description linking two from:		(2)
	weak (1)		AO1 2
	hydrogen bonds (1)	accept H bonds reject hydro bonds	
	complementary bases (1)	reject flydfo bollds	
	A - T / C - G (1)	accept the names of the base pair	

													Additional guidance	Mark
5(b)(i)														(2)
	T	T	G	Α	T	T	G	С	G	T	Α	Α	accept lower	
	Α	Α	С	Т	Α	Α	С	G	С	Α	Т	Т	case letters	AO2 1
	awa top								and	Ts i	n th	ie		
	awa top								and	Gs i	in th	ne		

Question number	Answer	Mark
5(b)(ii)	B 4	(1)
	The only correct answer is B	AO2 1
	A is incorrect because 3 amino acids would need 9 bases to be present	
	C is incorrect because 6 amino acids would need 18 bases	
	D is incorrect because 12 amino acids would need 36 bases	

Question number	Answer	Mark
5(b)(iii)	D double helix	(1)
	The only correct answer is D	AO1 2
	A is incorrect because a DNA molecule is not three separate strands	
	B is incorrect because the DNA molecule consists of two strands	
	C is incorrect because a DNA molecule is a double helix not a single helix	

Question number	Answer	Additional guidance	Mark
5(c)(i)	 An explanation linking two from: (protease) breaks down proteins (1) in the {cell/nuclear} membrane (1) 	accept break down {the cell / nucleus/ cell wall}	(2) AO1 2
	destroys enzymes that may break down the DNA (1)		

Question number	Answer	Additional guidance	Mark
5(c)(ii)	to precipitate the DNA / because DNA is insoluble in ethanol	accept to see the DNA	(1) AO1 2

Question number	Answer	Additional guidance	Mark
5(c)(iii)	Any two from:		(2)
	mass of peas and beans (1)	accept weight	AO3
	method of crushing (1)		3a 3b
	 volume of {washing up liquid / detergent} / water (1) 		
	 volume of protease (1) 		
	temperature if qualified (1)	accept keep the temperature of the mixture the same	
	 volume of ethanol (1) 		
	time if qualified (1)	accept time the mixture was heated / time exposed to ethanol	

(Total for question 5 = 11 marks)

Question number	Answer	Mark
6(a)(i)	Gonorrhoea	(1)
	accept phonetic spellings	AO3 1a

Question number	Answer	Additional guidance	Mark		
6(a)(ii)	66 000 000 ÷ 1000 = 66 000 (1)	award full marks for correct answer no working	(2) AO2 1		
	(66 000) x 3.7 =244 200 (people) or	accept answers in standard form			
	3.7 ÷ 1000 / 0.0037 (1)				
	(0.0037) x 66 000 000= 244 200 (people)				
	or				
	$(66000000 \times 3.7) = 244200000$ (1) $(244200000 \div 1000) = 244200$ $(people)$	accept 244 200 to any incorrect magnitude for one mark			

Question number	Answer	Additional guidance	Mark	
6(a)(iii)	Any one from:		(1)	
	 it is {passed/spread} from person to person (1) 	accept it is spread by {sexual contact / body fluids}	AO1 1	
	• caused by bacteria (1)	accept pathogen ignore caused by a virus		

Question number	Answer	Additional guidance	Mark
6(a)(iv)	Any one from:		(1)
	avoid sexual contact (1)		AO2 1
	, , , , , , , , , , , , , , , , , , , ,	accept use a barrier form of contraception ignore protection / contraception	
	• screen people for an infection (1)	·	
	 treat the infection / give antibiotics (1) 		

Question number	Answer	Additional guidance	Mark
6(a)(v)	An explanation including the		(2)
	following:		AO2 1
	 it is {killed / inhibited} by antibiotics (1) 	accept disrupt cell processes (in bacteria) / prevent (bacteria) reproducing	
	 because chlamydia is caused by bacteria (1) 		
		accept antibiotics are used to kill bacteria for	
		2 marks	

Question	Indicative content	Mark
number		
6(b)	AO2	(6)
6(B)	 Area A antigens are on the bacteria which are detected by WBCs / phagocytes white blood / phagocytes engulf bacteria (phagocytosis) swelling / inflammation of tissues / fever Area B number of white blood cells increases antibodies are produced by lymphocytes / white blood cells antibodies surround / cover / inactivate the antigens / pathogens 	AO1 1
	 Area C memory lymphocytes / cells are produced which remain in the blood then if a secondary infection occurs memory lymphocytes produce antibodies faster / in greater numbers so the bacteria / pathogens are destroyed faster 	

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1-2	 Demonstrates elements of biological understanding, some of which is accurate. Understanding of scientific, enquiry, techniques and procedures lacks detail. Presents a description which is not logically ordered and with significant gaps.
Level 2	3-4	 Demonstrates biological understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas, enquiry, techniques and procedures is not fully detailed and/or developed. Presents a description of the procedure that has a structure which is mostly clear, coherent and logical with minor steps missing.
Level 3	5-6	 Demonstrates accurate and relevant biological understanding throughout. Understanding of the scientific ideas, enquiry, techniques and procedures is detailed and fully developed. Presents a description that has a well-developed structure which is clear, coherent and logical.

Level	Mark	Additional Guidance	General additional guidance The level is determined by the areas of indicative content covered within the response. The mark within the level is determined by the detail and /or use of biological terms within each description.
	0	No rewardable material	
Level 1	1-2	Makes a simple reference to a feature of the immune response	White blood cells are involved (bottom of level 1)
			White blood cells engulf bacteria (good level 1)
Level 2	3-4	Refers to two areas of indicative content OR Gives an explanation of one area of indicative content	 Possible candidate responses Bacteria have antigens on them and white blood cells make antibodies (bottom of level 2 – two areas) Infection by bacteria causes more white blood cells to be produced. Lymphocytes make antibodies which inactivate antigens on the pathogens (good level 2 – one area explained)
Level 3	5-6	Refers to three areas of indicative content OR Gives an explanation of two areas of indicative content	 Possible candidate responses There are antigens on bacteria which are detected by white blood cells. Lymphocytes make antibodies and then memory lymphocytes are produced for a faster secondary response (bottom of level 3 – three areas referred to) Phagocytes detect antigens on the bacteria and engulf them. This is called phagocytosis. People might also develop a fever. Memory lymphocytes are produced and these stay in the blood to produce specific antibodies very quickly if there is a secondary infection by the same bacteria (good level 3 – two areas explained)

(Total for question 6 = 13 marks)

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London, WC2R ORL, United Kingdom