Please check the examination deta	ils bel	ow before ente	ring your candidate information
Candidate surname			Other names
Pearson Edexcel Level 1/Level 2 GCSE (9-1)	Cen	tre Number	Candidate Number
Time 1 hour 45 minutes		Paper reference	1CH0/2H
Chemistry PAPER 2 Higher Tier			
You must have: Calculator, ruler			Total Marks

Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.
- There is a periodic table on the back cover of the paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- Good luck with your examination.

Turn over ▶







Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 (a) Figure 1 shows a list of particles.

particle size.

ethene molecule nanoparticle sodium atom starch molecule

Figure 1

In the spaces below, write the names of these particles in order of increasing

	smallest particle		(2)
(b) Explain a possible risk associated with nar	noparticulate mate	rials.	(2)
(c) Explain the advantage of using catalysts n larger particles.	nade of nanopartic	les rather than	(2)

(Total for Question 1 = 6 marks)





2 (a) The concentration of a solution can be calculated using the equation

concentration of solution =
$$\frac{\text{mass of solid}}{\text{volume of solution}}$$


A student dissolved 9.25 g of ammonium chloride in water and made up the solution to a volume of 200 cm³.

Use the equation to calculate the concentration of this solution in $g\,dm^{-3}$.

(2)

concentration =gdm⁻³

(b) Dissolving ammonium chloride in water is an endothermic process. Figure 2 shows part of the reaction profile for this process.



progress of reaction

Figure 2

(i) Explain how Figure 2 shows that dissolving ammonium chloride in water is an endothermic process.


(2)

 	 		•••••

(ii) Complete the reaction profile in Figure 2 and label the activation energy.

(2)

(c) A student used the equipment in Figure 3 to investigate whether electricity can pass through solid ammonium chloride and through ammonium chloride solution.






Figure 3

If an electrical current flows in the circuit, the lamp will light up.

Figure 4 shows the results of the investigation.

substance	lamp
solid ammonium chloride	did not light up
ammonium chloride solution	lit up brightly

Figure 4

Explain the results of the investigation	results of the investigation	invest	the	of	results	the	lain	Exp
--	------------------------------	--------	-----	----	---------	-----	------	-----

(3)

(iotal ioi & acotion 2 - 5 illains)
(Total for Question 2 = 9 marks)

<i>u j</i>	State	the	name of the process used to separate diesel oil from crude oil.	(1)
				(1)
(b)			contains alkanes. anes are part of an homologous series.	
	Which	ı sta	tement about compounds in this homologous series is true?	(1)
	X	A	they have the same chemical formula	(1)
	X	В	they have the same empirical formula	
	X	C	they have the same general formula	
	×	D	they have the same molecular formula	
	Comp	lete	the balanced equation for the reaction.	(2)
(d)	Explai	in ho	$N_2 + 2O_2 \rightarrow \dots$ ow the greenhouse effect is caused by the gases produced by the	(2)
(d)	Explai	in ho	$N_2 + 2O_2 \rightarrow \dots$	(2)
(d)	Explai	in ho	$N_2 + 2O_2 \rightarrow \dots$ ow the greenhouse effect is caused by the gases produced by the	
(d)	Explai	in ho	$N_2 + 2O_2 \rightarrow \dots$ ow the greenhouse effect is caused by the gases produced by the	
(d)	Explai	in ho	$N_2 + 2O_2 \rightarrow \dots$ ow the greenhouse effect is caused by the gases produced by the	
(d)	Explai	in ho	$N_2 + 2O_2 \rightarrow \dots$ ow the greenhouse effect is caused by the gases produced by the	
(d)	Explai	in ho	$N_2 + 2O_2 \rightarrow \dots$ ow the greenhouse effect is caused by the gases produced by the	
(d)	Explai	in ho	$N_2 + 2O_2 \rightarrow \dots$ ow the greenhouse effect is caused by the gases produced by the	



- **4** This question is about polymers.
 - (a) (i) State a problem with **recycling** polymers.

(1)

(ii) Describe a problem associated with the **disposal** of polymers.

(2)

(b) Poly(chloroethene) is a polymer made from chloroethene. A molecule of chloroethene is shown in Figure 5.

Figure 5

(i) On Figure 5, draw a circle around the functional group in this molecule.

(1)

(ii) Draw a section of a poly(chloroethene) molecule containing three repeating units, showing all bonds.

(3)

(iii) What type of polymer is poly(chloroethene)?	(1)
(iv) Calculate the relative formula mass of a poly(chloroethene) molecule made from 2850 chloroethene molecules, C ₂ H ₃ Cl.	
(relative atomic masses: $H = 1.00$, $C = 12.0$, $Cl = 35.5$)	
Give your answer to three significant figures.	
Show your working.	(3)
relative formula mass =	
(Total for Question 4 = 11 m	arks)



5	This ques	stion	is about potassium and zinc.	
	(a) Whicl	h of 1	he following temperatures is most likely to be the melting point of pota	assium? (1)
	X	A	-63°C	
	×	В	6.3°C	
	X	C	63°C	
	×	D	630°C	
			ow the electronic configuration of an atom of potassium is related to its the periodic table.	
				(2)

(c) Potassium reacts with oxygen to form potassium oxide.

(i) Describe the test to show that a gas is oxygen.

(2)

(ii) Potassium oxide is ionic.

Write the electronic configurations for the ions in potassium oxide, K₂O.

(2)

potassium ion:

oxide ion:



(d) Figure 6 shows two gas syringes connected by a glass tube.

Inside the glass tube there are some pieces of zinc. Zinc reacts with oxygen at a temperature of over 225 °C. Not all the oxygen reacts at once, the oxygen reacts only when in contact with the zinc.





Figure 6

Devise a plan to find the volume of oxygen contained in a known volume of air, using the apparatus shown in Figure 6.





6 This question is about the rate of reaction between calcium carbonate and dilute hydrochloric acid.

The word equation for this reaction is

calcium carbonate + hydrochloric acid → calcium chloride + water + carbon dioxide

(a) Which of the following is the formula for calcium carbonate?

(1)

- A CaCO,
- B CaCO₃
- \square **D** Ca(CO₃)₂
- (b) Some pieces of calcium carbonate were added to dilute hydrochloric acid in a conical flask and the volume of carbon dioxide produced was measured.

Complete the diagram in Figure 7 to show the apparatus to collect the gas produced and measure its volume.

(2)




Figure 7

- (c) The reaction between calcium carbonate and dilute hydrochloric acid was investigated at different temperatures.
 - (i) State what could be used to keep the temperature of the conical flask and its contents at a temperature of 45 °C throughout the reaction.

(1)



(ii) Figure 8 shows a graph of volume of gas collected in this investigation.

volume of gas in cm³




Figure 8

Draw a tangent at 100 seconds on Figure 8. Use this tangent to calculate the rate of reaction at this time.

(2)

rate of reaction = cm³ s⁻¹

(iii) The temperature of the acid was kept at 45 °C. State one other variable that needs to be controlled during this investigation.	(1)
(iv) Explain, in terms of particles, how decreasing the temperature affects the rate of this reaction.	(3)
(Total for Question 6 = 10 ma	rks)

- **7** (a) A technician was asked to find the concentration of potassium ions in a dilute solution using a flame photometer.
 - (i) The technician first produced a calibration curve using solutions with known concentrations of potassium ions.
 Figure 9 contains the data for the calibration curve.


concentration of potassium ions in mol dm ⁻³	display reading
0.025	180
0.050	280
0.100	440
0.200	580
0.500	900

Figure 9

Use the information in Figure 9 to plot the calibration curve on the grid below.

(3)

display reading



concentration of potassium ions in mol dm⁻³

		(ii) The technician then obtained a reading of 360 for a dilute solution containing potassium ions.	
		Use the calibration curve to find the concentration of the potassium ions in this solution.	
			(1)
		concentration =	mol dm-
	(b)	In the test for chloride ions, silver nitrate solution is added to a solution containing chloride ions. A white precipitate forms.	
		Write the ionic equation for this reaction.	(2)
			(2)
	*(c)	A student was given a container of ammonium iron(II) sulfate, $(NH_4)_2Fe(SO_4)_2$. The student was also given a dilute solution of sodium hydroxide and access to other laboratory reagents.	
		Describe the tests the student should carry out to identify the ions in the ammonium iron(II) sulfate, including appropriate equations for the reactions involved.	
			(6)
	•••••		
	•		
	•		
	•		
	••••••		
	•••••		
••••			



(Total for Question 7 = 12 marks)



- **8** This question is about some of the elements in group 7 of the periodic table.
 - (a) Which row in the table correctly shows the colours and physical states of the elements at room temperature?

(1)

×	Α	iodine: purple gas	bromine: yellow liquid
×	В	chlorine: pale green gas	iodine: brown solid
×	C	bromine: red-brown liquid	chlorine: yellow liquid
×	D	iodine: dark grey solid	bromine: red-brown liquid

(b) The compound phosphorus oxychloride has the formula $POCl_3$.

Calculate the percentage by mass of chlorine in phosphorus oxychloride.

(relative atomic masses: O = 16.0, P = 31.0, Cl = 35.5)

(2)

percentage by mass of chlorine =

(c) When iron reacts with chlorine, iron chloride is formed.

Two possible equations for this reaction are

$$\textbf{A} \qquad \text{Fe + } \text{Cl}_{_2} \ \rightarrow \ \text{FeCl}_{_2}$$

B
$$2Fe + 3Cl_2 \rightarrow 2FeCl_3$$

In an experiment, 8.40 g iron reacts with chlorine to form 19.05 g iron chloride.

Show, using a calculation, which reaction, **A** or **B**, is taking place.

You must show your working.

(relative atomic masses: Cl = 35.5, Fe = 56.0)

(3)



*(d) Group 1 metals react with the elements from group 7 to form salts.

Some examples of these reactions are shown in Figure 10.

reaction	word equation			
W	lithium + chlorine $ ightarrow$ lithium chloride			
X	potassium + fluorine $ ightarrow$ potassium fluoride			
Υ	rubidium $+$ iodine \rightarrow rubidium iodide			
z	potassium + bromine → potassium bromide			

Figure 10

You will find the position of these elements in their groups on the periodic table.

Explain, in terms of their electronic configurations and the relative reactivity of these elements, which of the reactions shown in Figure 10 would be the most violent.

(6)

(Total for Question 8 = 12 marks)

- **9** Pentadecane, C₁₅H₃₂, is a hydrocarbon and is used as a fuel.
 - (a) The incomplete combustion of pentadecane produces carbon monoxide. Carbon monoxide is a toxic gas.
 - (i) Explain why the incomplete combustion of pentadecane can produce carbon monoxide as one of the products.

(2)

(ii) Explain how carbon monoxide behaves as a toxic gas.

(2)

(b) 1 mole of pentadecane can be cracked to form 1 mole of octane, C₈H₁₈, and 1 mole of propene, C₃H₆, and 2 moles of another product.

Complete the balanced equation for this reaction by adding the formula of the missing product.

(1)

$$C_{15}H_{32} \rightarrow C_8H_{18} + C_3H_6 + 2$$



(c) Figure 11 shows the reaction of propene, C_3H_6 , with water.

Figure 11

Figure 12 shows some bond energies.

bond	bond energy in kJ mol ⁻¹
С—С	347
C—O	358
С—Н	413
0—Н	464
C=C	612

Figure 12

Use the bond energies in Figure 12 to calculate the energy change of the reaction in Figure 11.

energy change of reaction =kJ mol⁻¹



(4)

(d) Methane gas, $\mathrm{CH_4}$, was burned using the apparatus shown in Figure 13.




Figure 13

Evolain wh	www.tordra	nlote form	on the better	of the beaks	er of cold water.
LAPIAIII WII	y water ure	piets ioiii	i on the bottom	i oi tile beake	i di cola watel.

(2)

(Total for Question 9 = 11 marks)



10 (a) Propanol, C_3H_7OH , can undergo reactions to form compounds **Y** and **Z** shown in Figure 14.




Figure 14

(i) What happens to propanol when it forms compound **Y**?

(1)

- A propanol undergoes an addition reaction
- ☑ B propanol is dehydrated
- C propanol is hydrated
- **D** propanol is oxidised
- (ii) Compound Y can also be formed in the following reaction

$$C_3H_8$$
 \rightarrow C_3H_6 + H compound **Y**


Explain how bromine water can be used to distinguish between compound ${\bf X}$ and compound ${\bf Y}$.


(3)


(iii) Compound **Z** is a carboxylic acid.

Which of the following shows the functional group of a carboxylic acid?

(1)







(iv) Compound **Z** is an acid and turns litmus and universal indicator papers red. Compound **Z** also shows other acidic properties.

Devise an experiment that would show another acidic property of compound ${\bf Z}$.

(2)



(b) The balanced equation for the production of ethanol from the carbohydrate sucrose is

$$C_{12}H_{22}O_{11} + H_2O \rightarrow 4C_2H_5OH + 4CO_2$$

sucrose

Calculate the minimum mass of sucrose needed to produce 26.9 g of ethanol.

(relative formula masses:
$$C_2H_5OH = 46$$
, $C_{12}H_{22}O_{11} = 342$)

(2)

minimum mass of sucrose =g

(c) Calculate the total number of atoms in 10.0 g of sucrose, $C_{12}H_{22}O_{11}$.

(relative formula mass: $C_{12}H_{22}O_{11} = 342$; Avogadro constant = 6.02×10^{23})

(2)

number of atoms =

(Total for Question 10 = 11 marks)

TOTAL FOR PAPER = 100 MARKS





The periodic table of the elements

0	4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86
7		19 F fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85
9		16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po Polonium 84
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83
4		12 C carbon 6	28 Si silicon 14	73 Ge germanium 32	119 Sn tin 50	207 Pb lead 82
က		11 B boron 5	27 AI aluminium 13	70 Ga gallium 31	115 In indium 49	204 T thallium 81
	'			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79
				59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78
				59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77
	1 Hydrogen 1			56 iron 26	Ru ruthenium 44	190 Os osmium 76
,				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75
		relative atomic mass atomic symbol name atomic (proton) number		52 Cr	96 Mo molybdenum 42	184 W tungsten 74
	Key			51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73
relativ				48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafhium 72
				45 Sc scandium 21	89 Y yttrium 39	139 La * lanthanum 57
2		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56
~		7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55

^{*} The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.