Surname	Ot	her names	
Pearson Edexcel Level 1/Level 2 GCSE (9 - 1)	tre Number		Candidate Number
Biology Paper 2			
			Higher Tier
Monday 11 June 2018 – Mornin	g		Paper Reference
Monday 11 June 2018 – Mornin Time: 1 hour 45 minutes	g		

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 100.
- The marks for each question are shown in brackets
 use this as a guide as to how much time to spend on each question.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

P52465A
©2018 Pearson Education Ltd.
1/1/1/1/1/1/1/1/1/1/1/





Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 Blood is filtered in the kidney to remove unwanted substances.

Figure 1 shows part of a nephron.




Figure 1

(a) Name the structures labelled P and Q.

P			
Q	 	 	

DO NOT WRITE IN THIS

(b) Figure 2 shows information about some of the components in the blood and in the filtrate in this part of the nephron.

component	concentration in the blood	concentration in the filtrate in the nephron
glucose	1.0 mg per cm ³	1.0 mg per cm³
protein	47.0g per dm³	0.0g per dm³
red blood cells	4.5 × 10 ⁶ per cm ³	0.0 per cm ³
white blood cells	$8.0 \times 10^3 \text{per cm}^3$	0.0 per cm ³

Figure 2

(i) Calculate the difference in the number of red blood cells and the number of white blood cells in 1 cm³ blood.

Give your answer in standard form.

(2)

(ii) Explain why there are differences in the concentrations of some components in the blood and some components in this part of the nephron.

(2)

(c) State the name of the hormone that regulates the water content of the blood.

(1)

(Total for Question 1 = 7 marks)



DO NOT WRITE IN THIS AREA

2 (a) Figure 3 shows a diagram of a red blood cell from a turtle and a diagram of a red blood cell from a human.



Figure 3

(i) These cells are animal cells.

Animal cells do not have

(1)

- A cytoplasm
- **B** a cell membrane
- C a cell wall
- D mitochondria
- (ii) The actual length of the red blood cell from a turtle is 20.5 $\mu m. \,$

Calculate the length of the magnified image of the red blood cell of the turtle when magnified $400 \times$.

(2)

иm

(iii) The width of the human red blood cell, when magnified 400 \times , is 3.08 mm.

Calculate the actual width of the cell and show your answer in standard form.

(2)

..mm

AREA

DO NOT WRITE IN THIS

DO NOT WRITE IN THIS AREA

(b) Red blood cells are carried in veins and arteries.

Figure 4 shows the equipment used to measure the elasticity of an artery.




Figure 4

(i) Describe a method you could use to see how much the ring of tissue from an artery could stretch before it no longer returned to its original size.

(3)

(ii) Give **one** safety precaution you need to take when handling animal tissue such as blood vessels.

(1)

(Total for Question 2 = 9 marks)



DO NOT WRITE IN THIS AREA

O NOT WRITE IN THIS AREA

3 A student compared the number of stomata on the upper and lower surfaces of a leaf. She completed a leaf peel as shown in Figure 5.




Figure 5

The layer of nail varnish shows an impression of the cells on the surface of the leaf.

(a) (i) State why a coverslip is placed on top of the leaf peel.

(1)

(ii) Explain why the leaf peel rather than the whole leaf was viewed with a microscope. (2)





DO NOT WRITE IN THIS

(b) The student drew a biological diagram of the leaf peel taken from the underside of the leaf.

Figure 6 shows this diagram.




Figure 6

(i) State the number of stomata visible on Figure 6.

(1)

(ii) The student observed that the stomata were open.

Describe how stomata open.

(3)

(iii) The leaf peel from the upper surface of this leaf showed no stomata.

Explain why it is an advantage to the plant to have this distribution of stomata in the upper and lower surfaces of the leaf.

(2)

(Total for Question 3 = 9 marks)



7 rn over

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

4 Since 2003, in France, people have been buying Siberian chipmunks as pets but then releasing them into the wild when they are no longer wanted.

They are now classified as an invasive species.

Figure 7 shows a Siberian chipmunk (Tamias sibiricus).



© 2011, Søren Brøndum Christensen

Figure 7

(a) Siberian chipmunks eat acorns which, are the seeds of oak trees.

In Siberia, the natural predators of Siberian chipmunks are wild dogs.


(i) Figure 8 shows the biomass of three organisms in a food chain from one area of Siberia.

organisms	biomass in kg
acorns	20 650
chipmunks	2 200
wild dogs	230

Figure 8

Draw a pyramid of biomass for this food chain.

(2)



DO NOT WRITE IN THIS AREA

(ii) In France, Siberian chipmunks have very few natural predators. Describe how this affected the Siberian chipmunk population in France.	(2)
(iii) The percentage of energy transferred from the acorns to the chipmunks is 9 The energy contained in the acorns is 97 500 kJ. Calculate the amount of energy transferred to the chipmunks. Give your answer to the nearest whole number.	0.5%.
	kJ

(b) The black-legged tick (*Ixodes scapularis*) is a parasite that feeds on the blood of animals including Siberian chipmunks and humans.

The tick transmits the Lyme disease pathogen.

Figure 9 shows the number of cases of Lyme disease in humans in France in 2003 and 2015.

Number of cases of Lyme disease in humans in France		
2003	2015	
9500	27 000	

Figure 9

(i) Calculate the percentage increase in the number of cases of Lyme disease in humans in France from 2003 to 2015.

(2)

(ii) Explain why there has been an increase in the number of cases of Lyme disease in humans in France.

(2)

(Total for Question 4 = 11 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



11

Turn over ▶

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

5 Figure 10 shows the estimated blood flow through some parts of the body when a person is at rest and during exercise.

word of the header	estimated rate of blood flow in cm³ per minute			
part of the body	at rest	during exercise		
brain	750	748		
heart muscle	350	1 150		
digestive system	2 500	1 200		
other muscles	1 200	14500		
all other organs (except lungs)	1 423	1 420		

Figure 10

(a)	Compare the rate of blood flow through the body when this person is at rest and	d
	during exercise.	

(3)

(b)	Explain why there is a change in the rate of blood flow through the digestive
	system during exercise.

(2)





DO NOT WRITE IN THIS AREA

	roke volume is the amount of blood leaving one chamber of the per beat.	
	which chamber of the heart does this volume of oxygenated blood flow?	(1)
⊠ A	left atrium	(-)
В	left ventricle	
⊠ C	right atrium	
⊠ D	right ventricle	
	on has a cardiac output of 4.9 litres per minute. The stroke volume of each beat is 70 ml.	
Calcul	ate the heart rate.	
		(2)
	beat	s per minut
	(Total for Question 5 = 8 ma	rks)



DO NOT WRITE IN THIS AREA

6 (a) Iguanas are lizards.

Some species of iguana live on hot islands in the Pacific Ocean and use the environment to regulate their body temperature.

Figure 11 shows an iguana on a rock in the sunshine.



© benjamint444/Getty Images

Figure 11

A marine biologist measured the oxygen consumption of an iguana at different temperatures.

Figure 12 shows the results.

body temperature of the iguana in °C	oxygen consumption in cm³ per gram per hour
20	0.4
25	0.8
30	1.1
35	1.4

Figure 12

(i) Describe how the body temperature of the iguana affects its oxygen consumption.

(1)

DO NOT WRITE IN THIS AREA

(ii) Explain why the body temperature of the iguana affects its oxygen consump	otion.
(iii) Iguanas do not have sweat glands.	
When an iguana is too hot, it pants by opening its mouth to cool down.	
Explain how this behaviour helps to cool the iguana down.	
	(2)



DO NOT WRITE IN THIS AREA

(b) (i)	Where in the human brain is the thermoregulatory centre?					
\boxtimes	Α	cerebellum				
\boxtimes	В	cerebral cortex				
\times	c	hypothalamus				
×	D	pituitary gland				
(ii)	Ехі	olain the role of vasodilation in thermoregulation.	(4)			
		(Total for Question 6 = 11 mai	rks)			

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



(a) A student investigated the effect of nitrate ion concentration on plant growth. She placed barley seedlings in three test tubes containing different concentrations of nitrate fertiliser.

Test tube 1 contained distilled water with 1 pellet of nitrate fertiliser. Test tube 2 contained distilled water with 2 pellets of nitrate fertiliser.

Test tube 3 contained distilled water with 3 pellets of nitrate fertiliser.

After 7 days, the lengths of the seedlings were measured.

Figure 13 shows an example of the apparatus used.




Figure 13

(i) Describe a control for this investigation.

	ĺ	4)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(ii) The nitrate fertiliser contains the chemical compound potassium nitrate. The hazard symbol on the bag of potassium nitrate fertiliser is shown in Figure 14.



Figure 14

Which hazard does	this symbol	represent?
-------------------	-------------	------------

(1)

- A flammable
- B oxidising
- C corrosive
- **D** explosive
- (iii) Give a method, other than measuring the change in length, that would show the growth of the seedlings.

(1)

P 5 2 4 6 5 A 0 1 9 3 2

seedling in test tube	length at the start in mm	length after 7 days in mm			
1	4	11			
2	6	17			
3	5	26			

Figure 15

(i) Explain why there are differences in the change in the lengths of the seedlings.

	(2)
(ii) Explain how nitrate ions were absorbed by the seedling in test tube 3.	(3)
(ii) Explain how nitrate ions were absorbed by the seedling in test tube 3.	

DO NOT WRITE IN THIS AREA

c) Farmers use crop rotation to reduce the need to add nitrate fertilisers	to the soil.
Plants such as peas and beans have a mutualistic relationship with nit	rogen-fixing bacteria
Explain why farmers use these plants in their crop rotation cycle.	
	(3)
(Total for Question	n 7 = 12 marks)



8 (a) Figure 16 shows the effect of light intensity and temperature on the rate of photosynthesis.




Figure 16

(i) Describe the effect of light intensity on the rate of photosynthesis.

(2)

(ii) Explain the effect of temperature on the rate of photosynthesis.

(2)

(b) A student measured the rate of photosynthesis using algal balls in a laboratory. The tube of algal balls was kept at a temperature of 25 °C and was moved to different distances from a light source.

The results of this investigation showed that the rate of photosynthesis is

(1)

- ☑ A directly proportional to the distance from a light source.
- **B** inversely proportional to light intensity
- C directly proportional to temperature
- **D** inversely proportional to the distance from a light source



DO NOT WRITE IN THIS AREA

*(c) Explain how substances are moved through a plant	by transpiration and translocation. (6)
	Total for Question 8 = 11 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

9 (a) Figure 17 shows the concentration of the hormones oestrogen and progesterone in the blood of women of different ages.




Figure 17

(i) Use information from Figure 17 to explain why women over the age of 50 are less likely to ovulate.

(2)

(ii) Use information from Figure 17 to explain why women are less likely to menstruate after the age of 60.

(2)

DO NOT WRITE IN THIS AREA

	ı) Ex ag	plain how clomifene therapy may increase the chance of a woman over the le of 50 becoming pregnant.	(2)
(iv	/) Tł	ne hormone progesterone is produced by the	(1)
X	A	corpus luteum	()
×	В	pituitary	
\times	C	thyroid	
X	D	uterus	




DO NOT WRITE IN THIS AREA

10 (a) Figure 18 shows an investigation into the growth of plant shoots.

Experiment 1:

The tip of a shoot was removed from the plant.

There was no growth in the shoot after 3 days.



Experiment 2:

The tip of a shoot was cut off and then placed back onto the shoot.

The shoot had grown 6 mm after 3 days.




Figure 18

(i) Give **one** variable that must have been controlled for the plant shoot to grow vertically, as shown in experiment 2.

(1)

DO NOT WRITE IN THIS AREA

(ii) State one conclusion that could be made based on these two experiments.	(1)
 (iii) Which plant hormone causes growth in the plant shoot? ☑ A auxin ☑ B ethene ☑ C gibberellin ☑ D chlorophyll 	(1)
(iv) Explain one way that this investigation could be improved.	(2)
QUESTION 10 CONTINUES ON THE NEXT PAGE.	



DO NOT WRITE IN THIS AREA

(6)

*(b) Marram grass is a plant that grows on exposed areas of sand dunes.

Figure 19 shows marram grass growing and a cross section through a leaf of marram grass.






Figure 19

Explain how marram grass is adapted to survive in the hot, windy and dry conditions of a sand dune.



DO NOT WRITE IN THIS AREA

(Total for Question 10 = 11 marks)
TOTAL FOR PAPER = 100 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE INTHIS AREA

BLANK PAGE



BLANK PAGE

Every effort has been made to contact copyright holders to obtain their permission for the use of copyright material. Pearson Education Ltd. will, if notified, be happy to rectify any errors or omissions and include any such rectifications in future editions.